SCOTTSDALE POLICE DEPARTMENT CRIME LABORATORY BLOOD ALCOHOL FACE SHEET

ANALYSIS DATE	7/26/2018	SEQUENCE NAME	26Jul18
EQUIPMENT Pipettor Gas Chromatograph	☐ Hamilton ML600EH7 ☑ Agilent US14173023) 110749
INSTRUMENT CAL	IBRATION COST do	JULIARN PROV	
Vial 1 0.02 calibrator	Lot FN03241604	Officient of d	etermination (r²)
Vial 2 0.10 calibrator	Lot FN06181501	20 cie utor 0.99999	
Vial 3 0.20 calibrator	Lot FN07201502	05e0	
Vial 4 0.40 calibrator	Lot FN11191402	•	

CALIBRATION VERIFICATION AND RESOLUTION TEST

Vial	Sample S	Expected result	Measured result	Manufacturer/lot
5	Blank	Not detected	Not detected	SPD lab 042518
6	Volatiles mixture	6 compounds	6 compounds	SPD lab 020917WLA
7	Aqueous control	0.400 g/dL	0.404 g/dL	Lipomed 08012015-C
8	Aqueous control	0.040 g/dL	0.040 g/dL	Lipomed 09022015-A
9	Blood control	0.198 g/dL	0.200 g/dL	ACQ 407041529/3
20	Aqueous control	0.080 g/dL	0.081 g/dL	Lipomed 28082014-B
31	Aqueous control	0.150 g/dl_	0.153 g/dL	Lipomed 09022015-C
42	Blood control	0.198 g/dL	0.201 g/dL	ACQ 407041529/3
53	Adueous control	0.080 g/dL	0.082 g/dl	Lipomed 28082014-B
64	Aqueous control	0.400 g/dL	0.412 g/dL	Lipomed 08012015-C
65	Aqueous control	0.040 g/dL	0.040 g/dL	Lipomed 09022015-A
66	Blood control	0.198 g/dL	0.203 g/dL	ACQ 407041529/3
67	Blank	Not detected	Not detected	SPD lab 042518

SUBJECT SAMPLES

Subjects in the sequence25

ojects requiring reanalysis ____0

ADDITIONAL NOTES: All testing proceeded as expected.

Run valid [_Run invalid [Run valid \square WA BISTO 7/30/18 Run invalid Analyst Téchnical Reviewer


Document ID: 1208 Revision Date:02/27/2017 Issuing Authority: Kris Cano, Forensic Laboratory Manager Page 1 of 1

Scottsdale Police Department Crime Laboratory Sequence Quality Assurance Summary

WA

SEQUENCE NAME: 26Jul18				\sim	ANALYST: Adrian
Sample Name	Vial	Measured Value (g/dL)	Expected Value (g/dL)	Percent Difference	Absolute Difference (g/dL)
blank 042518	5	negative 🚬	o negative	indu-D	
0.400 Lipomed 08012015-C	7	0.404	0,400	1.00	0.004
0.040 Lipomed 09022015-A	8	0.040	0.0405	0.00	0.000
0.198 ACQ 407041529/3	9	0.200	0.198	1.01	0.002
0.080 Lipomed 28082014-B	200	0.081	0.080	1,25	0.001
0.150 Lipomed 09022015-C	(31)	0.153	0,150	2.00	0.003
0.198 ACQ 407041529/3	42	0.201	0.198	1.52	0.003
0.080 Lipomed 28082014-B	53	0.082	0.080	2.50	0.002
0.40 Lipomed 08012015-C	64	0.412	0.400	3.00	0.012
0.04 Lipomed 09022015-A	65	0.040	0,040	0.00	0.000
0.198 ACQ 407041529/3	66	0.203	0.198	2.53	0.005
blank 042518	67	negative	negative	-	**
3.96, IN30	12/	e			

Callstotan	Ethanol	N-propanol	Patio
• • • • • • • • • • • • • • • • • • •	Area	Area	. Warner
0.020	12,270	168.173	0.073
0,100	63,519	170.396	0.373
0,200	127.677	170.258	0.750
0.400	250.676	166.234	1.508






Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Elhanol	1,222	12.270
n-Propanol	2.010	168.173

Compound	Time (min)	Peak Area
Ethanol	1,343	14.215
n-Propanol	2.371	196.968




Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Ethanol	1,221	63.519
n-Propanol	2.010	170,396

Compound	Time (min)	Peak Area
Ethanol	1.341	74.790
n-Propanol	2.371	199.617




Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Ethanol	1.221	127.677
n-Propanol	2.010	170.258

Compound	Time (min)	Peak Area
Ethanol	1.340	152.391
n-Propanol	2,371	199.321




Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Ethanol	1.220	250.676
n-Propanol	2.010	166.234

Compound	Time (min)	Peak Area
Ethanol	1.339	301.095
n-Propanoi	2.371	194.580




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount	Tìme	Peak
	(g/100mL)	(min)	Area
n-Propanol		2.010	164.850

Compound	Time (min)	Peak Area
n-Propanci	2.371	192.121




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Methanol		0.974	15.632
Acetaldehyde		1,076	4.621
>Ethanol	0,0653	1.222	40.748
Isopropanol		1,490	59.098
Acetone		1.801	14.675
n-Propanol		2,010	167,913

Compound	Time (min)	Peak Area
Aoetaldehyde	0,982	5,846
Methanol	1.062	18.790
Ethanol	1,342	47.757
Acetone	1,500	16.786
Isopropanol	1,587	70.734
n-Propanol	2.372	196.311




Table 1: FID 1 A	(column DB-ALC1)
------------------	------------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,4043	1.221	256.017
n-Propanol		2.010	168.070

Compound	Time (min)	Peak Area
Elhanol	1.341	306,775
n-Propanel	2.372	196.571




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0401	1.223	24,293
n-Propanol		2.010	164.889

Compound	Time (mìn)	Peak Area
Ethanol	1,343	28.134
n-Propanol	2,372	192.333




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2000	1.222	127.821
n-Propanol		2.011	170.083

Compound	Time (min)	Peak Area
Ethanol	1.342	152.423
n-Propanol	2.373	199,056




Table 1: FID 1 A	column DB-ALC1)
------------------	-----------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0818	1.223	51.054
n-Propanol		2.011	167.544

Compound	Time (min)	Peak Area
Ethanol	1.344	59,836
n-Propanol	2,373	196.019




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1534	1,222	96,593
n-Propanol		2.011	167.861

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.343	114,305
n-Propanol	2.373	196.991




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2011	1.222	130,999
n-Propanol		2.011	173.405

Compound	Time (mìn)	Peak Area
Ethanol	1.342	156,553
n-Propanol	2,373	203.977




Table 1: FID 1 A (column DB-	B-ALC1)
------------------------------	---------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0822	1.223	52,159
n-Propanol		2.012	170.169

Compound	Time (min)	Peak Area
Ethanol	1.344	61.140
n-Propanol	2.374	200,252




Table 1: FID 1 A (col	lumn DB-ALC1)
-----------------------	---------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,4123	1.222	268,196
n-Propanol		2.011	172,625

Compound	Time (min)	Peak Area
Ethanol	1,342	322,964
n-Propanol	2,373	204.134




Table 1: FID 1	Α (column	DB-Al	LC1)
----------------	-----	--------	-------	------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0406	1.224	25,390
n-Propanol		2,012	170.146

Compound	Time (min)	Peak Area
Ethanol	1.345	29,668
n-Propanol	2.374	200.648




Table 1; FID 1 A (column DB-ALC1)
--------------------	-----------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2030	1,223	136.007
n-Propanol	5, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	2.012	178.300

Compound	Time (min)	Peak Area
Ethanol	1.343	163,111
n-Propanol	2.374	210.820




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount	Time	Peak
	(g/100mL)	(min)	Area
n-Propanol	····	2.012	172,034

Compound	Time (min)	Peak Area
n-Propanol	2.375	202.996

Sequence Summary

Page 1 of 2

quer	nce name: 26Jul18 Instrumer	nt: US14173023 CN1416	30045 A	nalyst: Adrian
		in the second		<u></u>
Vial	Sample	Туре	Item Number	C. Method
1	0.020 Cerilliant FN03241804	Calibration	1 min 1	eihanol quani.M
2	0.100 Cerilliant FN06181501	Calibration	SSO JBI	ethanol quant.M
3	0.200 Cerilliant FN07201502	Calibration	JOY	ethanol quant.M
4	0.400 Cerilliant FN11191402 5	Callbration	2	ethanol quant.M
5	blank 042518	Control S		ethanol quant.M
6	volatiles mix 020917 WLA	Control		ethanol quant.M
7	0.400 Lipomed 08012015-C	Control		ethanol quant.M
8	0.040 Lipomed 09022015-A	Control	· · · · · · · · · · · · · · · · · · ·	elhanol quant.M
9	0.198 ACQ 407041529/3	Control		ethanol quant.M
10	1013 0014 10011	Sample	1216710	ethanol guant.M
11	oler, and	Sample	1216710	ethanol quant.M
12	819 NUC - 4310	Sample	1224313	ethanol quant.M
13	10 412	Sample	1224313	ethanol quant.M
14	SCO	Sample	1219822	ethanol quant.M
16		Sample	1219822	ethanol quant.M
16		Sample	1223964	ethanol quant.M
17	ab (Satting of the Winds)	Sample	1223964	ethenol quant.M
18		Sample	310-01A	elhanol quant.M
19		Sample	310-01A	ethanol quant.M
20	0.080 Lipomed 28082014-B	Control		ethano) quant.M
21		Sample	320-01A	ethanol quant.M
22		Samplé	320-01A	ethanol quant.M
23		Sample	310-01/	ethanol quant.M
24		Sample	310-01A	ethanol quant.M
25		Sample	1223029	elhanol quant.M
26		Sample	1223029	elhanol quant.M
27		Sample	1222058	ethaπol quant.M
28		Sample	1222058	ethanol quant.M
20		Sample	1220361	ethanol quant.M
30		Sample	1220361	ethanol quant.M
31	0.150 Lipomed 09022015-C	Control		ethanol quant.M
32		Sample	1221665	ethanol quant.M
33	100 (1000) (1000	Sample	1221665	ethanol quant.M
34	a Line the second se	Samplé	1220924	ethanol quant.M
35		Sample	1220924	ethanol quant.M
36		Sample	1222130	ethanol quant.M
37		Sample	1222130	ethanol quant.M
38	· · · · ·	Sample	1189111	ethanol quant.M
39		Sample	1189111	ethanol quant.M
40		Sample	1223251	ethanol quant.M
41	999449-4988-68899999986 2 2	Sample	1223251	ethanol quant.M
42	0,198 ACQ 407041529/3	Control		ethanel quant.M
43	ng ² an an an an an a b b b d d a b d d a ta t	Sample	1225706	ethanol quant.M
44	τ	Sample	1225706	ethanol quant.M
45		Sample	1194993	ethanol quant.M
46	••••••••••••••••••••••••••••••••••••••	Sample	1194993	elhanol quant.M
47	and the second se	Sample	1222020	eihenol quant.M

.

_____WA

Sequence Summary

Page 2 of 2

\$

		Qawala	1222020	ethanol quant.M
48		Sample		
49		Sample	1226301	ethanol quant.M
50		Sample	1226301	ethanol quant.M
51		Sample	323-014	🚫 ethanol quant.M
52		Sample 1	323-01A	ethanol quant.M
53	0.080 Lipomed 28082014-B	Control	55 110	ethanol quant.M
54		Sample	335-01	ethanol quant.M
55		Sample	335-01	ethanol quant.M
56	KION . S	OSample	1221794	ethanol quant.M
57	inde of S	Sample	1221794	ethanol quant.M
58	en der i vi	Sample V	1222931	ethanol quant.M
59		Sample	1222931	othanol quant.M
60	Un atico 25 siles	Sample	1222805	ethanol quant.M
61	Jus not thor city	Sample	1222805	ethanol quant.M
62	aden autrie	Sample	1223450	ethanol quant.M
63	as un dat	Sample	1223450	ethanol quant.M
64	0.40 Lipomed 08012015-C	Control		ethanol quant.M
65	0.04 Lipomed 09022015-A	Control		ethanol quant.M
66	0,198 ACQ 407041529/3	Control		ethanol guant.M
67	blank 042518	Control		ethanol quant.M

.

.

Scottsdale Police Department Crime Laboratory Summary of Cases

SEQUENCE NAME; 26Jul18 ANA					
Vials	Test 1 (g/dL)	Test 2 (g/dL)	Mean (g/dL)	Percent Difference*	Absolute Difference (g/dl_)*
10 11	0.0947	0,0949	0.09480- (\\	0,11	0.00010
12 13	0.1759	0.1754	0.17565	0.142	0.00025
14 15	0,2139	0.2139	0.21390	0,00	0.00000
16 17	0.0703	0.0709	0.07060	0.42	0.00030
18 19	0.1932	0,1948	0,19400	0.41	0.00080
21 22	0.1974	0.2022	0.19980	QU 1.20	0.00240
23 24	0.0383	0.0386	0.03845	0,39	0.00015
25 26	0,2548	0.2540 6	0.25440	0,16	0.00040
27 28	0,1030	0.103	0.10305	0.05	0,00005
29 30	0,1976	0.1982	0.19790	0.15	0.00030
32 33	0.1364	0.1342	0.13530	0.81	0.00110
34 35	0.2137	0.2144	0.21405	0.16	0.00035
36 37	0.2134	50.2120	0.21270	0.33	0.00070
38 39	0.1104	0.4101 -:*	0.11025	0,14	0,00015
40 41	0,2826	0.2835	0.28305	0,16	0.00045
43 44	0.1639	0,1642	0.16405	0.09	0.00015
45 46	0,1621 🔬 🔿	0.1621	0.16210	0.00	0.00000
47 48	0.2167	0.2206	0.21865	0.89	0.00195
49 50	0.0000 💆	0.0000	0.00000	0.00	0.00000
51 52	0.0969	0,0983	0.09760	0.72	0.00070
54 55	0.1674	0.1663	0.16685	0.33	0.00055
56 57	0,1610	0.1575	0.15925	1.10	0.00175
58 59	0,2851	0.2846	0.28485	0.09	0.00025
60 61	0.0811	0.0830	0,08205	1.16	0.00095
62 63	0.0921	0.0912	0.09165	0.49	0,00045

*Calculated differences are differences from the mean of the two results.

WA



Scottsdale Police Department Crime Lab Volatiles Analysis





Table 1: FID 1 A (c	column DB-ALC1)
---------------------	-----------------

Compound	Amount (g/100mL)	Time - (min)	Peak Area
Aceialdehyde		1,076	3.982
>Ethanol	0.0947	1.222	59,173
n-Propanol		2.011	167.238

Compound	Time (min)	Peak Area
Acetaldehyde	0,982	5,059
Ethanol	1.342	69,027
n-Propanoi	2,372	195.662



Scottsdale Police Department Crime Lab Volatiles Analysis



Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	4.196
>Ethanol	0.0949	1.222	60.447
n-Propanol		2.011	170,522

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	5.275
Ethanol	1,343	70.535
n-Propanol	2.373	199.969

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1,077	4,538
>Ethanol	0.1759	1.223	111.488
n-Propanol		2.012	168,773

Table 2; FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.984	5.675
Ethenol	1.344	131.379
n-Propanol	2.374	198.111

Case:

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde	a di se di	1.076	4.756
>Ethanol	0.1754	1,222	114.409
n-Propanol	·····	2,012	173.719

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	5.985
Ethanol	1,343	135.253
n-Propanol	2.373	204.413

Case:

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1; FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,2139	1.222	134,552
n-Propanol	#9545	2,011	167.361

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	3.757
Ethanol	1.342	161.318
n-Propanol	2,373	196.046

Case:

Page 1 of 1








Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2139	1.222	137.019
n-Propanol		2,011	170.416

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.342	164.257
n-Propanol	2,373	198.654

Case:

.

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1:	FID 1	A (colur	nn DB-ALC1)
----------	-------	----------	-------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	4.141
>Ethanol	0.0703	1.223	44.826
n-Propanol		2.011	171.407


Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	5,207
Ethanol	1,344	53.086
n-Propanol	2.373	200.967

Case:




Scottsdale Police Department Crime Lab Volatiles Analysis



Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde	1.000 Mar 10	1.077	4.308
>Ethanol	0.0709	1.224	46.282
n-Propanol		2.012	175,460

Compound	Time (min)	Peak Area
Acetaldehyde	0.984	5,406
Ethanol	1.345	54.800
n-Propanol	2,374	206,046








Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,1932	1.222	124.015
n-Propanol		2,011	170.884

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	3.850
Ethanol	1.342	148,609
n-Propanol	2.373	201.222



Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1948	1,223	125.558
n-Propanol		2.012	171.558

Compound	Time (min)	Peak Area
Acetaidehyde	0.984	3.919
Ethanol	1.344	150.271
n-Propanol	2.374	202.402

Case:




		1	tem number;	320-01A
Sample:				21
Injection date:	7/26/2018 2:10:27 PM			26Jul18
Method:	ethanol quant.M	CIVI	Sequence:	
Instrument:	US14173023 CN14160045		Analyst:	Adrian
Data file:	C:\Chem32\1\Data\26Jul18\21.D	<u> </u>	- CUIII - TEV	
FID1 A, Fr 280 240 220 200 100 160 140 140 120 00 20 20	ont Signal Dissemination I Dissemination I Dissemination I Dissemination I Dissemination I Justice Agencies agencies to unauthor to unauthor	$\frac{1}{12} \frac{1}{13} \frac{1}{14} \frac{15}{16} \frac{16}{17} \frac{17}{3}$	Soft In Propanol	
0 0 1 0.	2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 1.9 2 2.1 2.2	23 24 25 26 27 28
FID2 B, Ba	ck Signal			
11. 280 ⁻¹ 1260				
240				***
220-		Ethanod		n-Propanol
180		<u>ਜ</u>		Proj
.: 160		22		4
74. 140 120		T .		231
100				Δ
00-		Accession of the second se		
60 - 70		La constanta da la constanta d		
20-				
0 0.4 0.	2 0.3 0.4 0.5 0.8 0.7 0.8 0.9 1	1,1 1,2 1,3 1,4 7,5 1,6 1,7 1 Time [minutes]	8 1.9 2 2.1 2.2	2,3 2,4 2,5 2,6 2,7 2,8

Table 1: FID 1 A	(column DB-ALC1)
------------------	------------------

Compound	Amount (g/100mL)	Tîme (min)	Peak Area
>Ethanol	0.1974	1.222	127.708
n-Propanol		2.011	172.230

Compound	Time (min)	Peak Area
Ethanol	1.342	151.789
n-Propanol	2,373	202,736








Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,2022	1,222	129.992
n-Propanol		2,011	171,128

Compound	Time (min)	Peak Area
Ethanol	1,342	154,276
n-Propanol	2,373	201.397






Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,0383	1.223	24.427
n-Propanol		2.011	173.662

Compound	Time (min)	Peak Area
Acetaldehyde	0.983	3,827
Ethanol	1,344	29.008
n-Propanol	2.373	203.875



Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0386	1,223	24,440
n-Propanol		2.011	172,601

Compound	Time (min)	Peak Area
Acetaldehyda	0.983	4,083
Ethanol	1,345	29.019
n-Propanol	2.373	202,731




Scottsdale Police Department Crime Lab Volatiles Analysis


-			1223029
7/26/2018 2:26:41 PM			25
ethanol quant.M		Sequence:	26Jul18
US14173023 CN14160045		Analyst:	Adrian
C:\Chem32\1\Data\26Jul18\25.E	d_{I}	100 MILLE	
ont Signal Dissemination Dissemination Justice Agen Justice Agen Agen Justice Agen Agen Justice Agen Justice Agen Agen Justice Agen Agen Agen Justice Agen Agen Agen Agen Justice Agen Agen Agen Agen Agen Agen Agen Agen	S. Lestricte authorities and a	and dissorting the and provide the provided	
2 0,3 0;4 0,5 0,6 0,7 0,8 0;9 /	i 1.1 1.2 1.3 1.4 1.5	1.6 1.7 1.8 1.9 2 2.1 2 ss	2 23 24 25 26 27 28
So 388 Accetatideth vide	34 Ethano		ionador4-n 2 2.3 2.4 2.5 2.6 2.7 2.8
	ethanol quant.M US14173023 CN14160045 C:\Chem32\1\Data\26Juli18\25.E ont Signal	ethanol quant.M US14173023 CN14160045 C:\Chem32\1\Data\26Juli18\25.D ont Signal US58ETC ADDITION OF COMPANY US10CC COMPANY US1	ethanol quant.M US14173023 CN14160045 C:\Chem32\1\Data\26Jul18\25.D ont Signal 2: 03: 0,4 0,5::0,6:0,7 cont Signal 2: 0,3: 0,7 cont Signal 2: 0,3: 0,4 0,5::0,

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.077	4.200
>Ethanol	0.2548	1.223	169,702
n-Propanol		2.012	177.061

Compound	Time (min)	Peak Area
Acetaldehyde	0,984	5.304
Elhanol	1.343	202.255
n-Propanol	2.374	209,095








Table 1: FID 1 A ((column DB-ALC1)
--------------------	------------------

Compound	Amount (g/100mL)	Time (mln)	Peak Area
Acetaldehyde		1.076	4.172
>Ethanol	0.2540	1.222	163,723
n-Propanol		2.012	171.377

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.983	5,227
Ethanol	1.342	194.697
n-Propanol	2.373	201.872

Case






Table 1: FID 1 A (column DB-ALC1)
--------------------	-----------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde	*******	1.076	4.402
>Ethanol	0.1030	1.223	66,239
n-Propanol	5,62.00M	2.012	171.976

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	5.540
Ethanol	1,344	77.592
n-Propanol	2.374	202.365



Scottsdale Police Department Crime Lab Volatiles Analysis

			14	4000050
Sample:			Item number:	1222058
Injection date:	7/26/2018 2:38:42 PM		Vial:	28
Method:	ethanol quant.M	,	Sequencer	26Jul18
Instrument:	US14173023 CN14160045	、 *0	Analyst:	Adrian
Data file:	C:\Chem32\1\Data\26Jul18\28.E		ize animite	
<pre></pre>	C:\Chem32\1\Data\26Jui18\28.E	1 + 1, 1 + 1, 2 + 1, 4 + 1, 5 + 1, 5 + 1,	N dissortius N pROHID Sis Ntor Ntor	
0 0 1 0	2 0.3 0.4 0.5 0.6 0.7 0.B 0.9	1.1 1.2 1.3 1.4 1.8	1.6 - 1.7 - 1.8 1.9 - 2 - 2.1 2	2 23 24 25 26 27 28
FID2 B, Ba 280 280 280 220 200 100 100 100 100 100 100 100 10		5]:: :::. :::: :::: ::::	2.37 n-Fropanol

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	4,692
>Elhanol	0.1031	1.223	66.639
n-Propanol		2.011	172.949

Compound	Time (min)	Peak Area
Acctaldehyde	0.983	5.867
Ethanol	1.343	78.039
n-Propanol	2.373	203.891

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (e	column DB-ALC1)
---------------------	-----------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,1976	1.225	130,499
n-Propanol		2.014	175.779

Table 2; FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0,985	4,146
Ethanoi	1.346	155,090
n-Propanol	2.376	207.139

Case:







Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Elhanol	0.1982	1.225	130.617
n-Propanol		2.014	175,433

Compound	Time (min)	Peak Area
Acetaldehyde	0.985	3,768
Elhanol	1.347	155.407
n-Propanol	2.377	206,570







Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1364	1,223	88.815
n-Propanol		2.012	173,800

Table 2; FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.983	3.794
Ethanol	1.343	104.848
n-Propanol	2.373	205.046






Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,1342	1.223	87,839
n-Propanol		2.012	174.701

Table 2; FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Aoetaldehyde	0,983	3,823
Elhanol	1.343	103,384
n-Propanol	2.374	205,939








Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	4.447
>Ethanol	0,2137	1.222	139,215
n-Propanol	Lancor	2.012	173.285

Compound	Time (min)	Peak Area
Acetaldehyde	0.983	5,597
Ethanol	1.343	165,591
n-Propanol	2,373	204.459



Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	4,434
>Ethanol	0,2144	1,222	139.197
n-Propanol		2.012	172,759

Compound	Time (mín)	Peak Area
Acetaldehyde	0,983	5,585
Ethanol	1.343	185,809
n-Propanol	2.374	203.806



Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.077	4,421
>Ethanol	0.2134	1,223	141.675
n-Propanol		2,013	176,633

Compound	Time (min)	Peak Area
Acetaldehyde	0,984	5,484
Ethanol	1.344	168.618
n-Propanol	2,375	208.607






Table 1: FID 1 A (co	Jumn DB-ALC1)
----------------------	---------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	4.536
>Ethanol	0.2120	1,222	139,832
n-Propanol		2.012	175,475

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.983	5.668
Elhanol	1,343	167.660
n-Propanol	2.373	207.555

Case



Scottsdale Police Department Crime Lab Volatiles Analysis





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1104	1.223	72.459
n-Propanol		2.012	175.409

Compound	Time (min)	Peak Area
Ethanol	1.344	85,187
n-Propanol	2.373	207,591





Scottsdale Police Department Crime Lab Volatiles Analysis

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Tìme (min)	Peak Area
>Ethanol	0.1101	1.223	71,784
n-Propanol		2.011	174.325

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.343	84.573
n-Propanol	2.373	206.478



Scottsdale Police Department Crime Lab Volatiles Analysis


Sample:			Item number:	1223251
Injection date:	7/26/2018 3:27:12 PM		Viai:	40
Method:	ethanol quant.M		Sequence:	26Jul18
Instrument:	US14173023 CN14160045		Analyst: 3	Adrian
	C:\Cham32\1\Deta\26.ltil18\40.D	-	1^{t0} 10^{0} 10^{0}	
Data file; FIDI A, Fro 280- 280- 220- 220- 200- 180- 180- 180- 180- 180- 180- 180- 1	C:\Chem32\1\Data\26Jul18\40.D	1.08 Acetalitishives	1.0 200 Analyst: 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	
0 0 0.1 0.	2 0.3 0.4 0.5 0.6 0.7 0.8 0.8 1	1.1 1.2 1.3 1	4 1.5 1.6 1.7 1.8 1.9 2 2.1 2 minutes]	2 2.3 2.4 2.5 2.6 2.7 2.8
FID2 B, Br	ck Signal			
280:		no.		
240		E(hano)		
:: 220		34		n-Propanoi
200		ř		id O
160				
8 140				12
120				
100				A
80-	1			11
80- 40-		۲		
20-	2			I. I.
1.4.7.1	2. 0.3 0.4 0.8 0.6 0.7 0.8 0.9	1,1 1,2 1,3 1 Time i	4 7.6 1.6 1.7 1.8 1.9 2 2.1 2 minutes)	2 2.3 2.4 2.5 2.6 2.7 2.8

Table 1; FID 1 A (c	column DB-ALC1)
---------------------	-----------------

Compound	Amount (g/100mL)	Tíme (min)	Peak Area
Acetaldehyde		1.076	5.061
>Ethanol	0.2826	1,222	182.006
n-Propanol		2.011	171.129

Compound	Time (min)	Peak Area
Acetaldehyde	0.983	6,379
Ethanol	1.342	217.306
n-Propanol	2.373	202.141

Scottsdale Police Department Crime Lab Volatiles Analysis



Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	5,048
>Ethanol	0.2835	1,222	184.083
n-Propanol		2.011	172.520

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	6.305
Elhanol	1.342	219,995
n-Propanol	2,373	203.822

Case:



Sample:		Ite	m number:	1225706
njection date:	7/26/2018 3:39:27 PM	Via	si: C	43
Method:	ethanol quant.M	Se	quence:	26Jul18
nstrument;		A	alyst:	Adrian
Data file;	C:\Chem32\1\Data\26Jul18\43.D	d 10.100	MILTEL	
FID1 A, Fr 200- 250- 220- 220- 200- 100- 160- 120- 120- 100- 120- 100-	C:\Chem32\1\Data\26Jul18\43.D	500 2010 0000000000000000000000000000000	OHIC	
20 0 0.4 0 FID2 B, B		1.2 1.3 1.4 1.5 1.8 1.7 1.8 	1.9 2 2.1 2	2 23 24 25 26 27 2
280				
240-				102
200-		jot.		a-Propanol
100-		Ethanof		1 ₄ -4
A 140		Х Ш		m
120				Ň
100-				
BQ-				11
60- 20- 20-				Λ

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1639	1.223	106,659
n-Propanol		2.012	173,458

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.343	127.123
n-Propanol	2.374	205,049

Page 1 of 1

Case: User: wadrian 7/30/2018



			11	1225706
Sample:			Item number:	
Injection date:	7/26/2018 3:43:27 PM	• • •	Vial:	44 20 kild 8
Method:	ethanol quant.M	C_{lll}	Sequence:	26Jul18
Instrument:	US14173023 CN14160045	, 10 0	Analyst:	Adrian
Data file:	C:\Chem32\1\Data\26Jul18\44.D		CON TE	
	C:\Chem32\1\Data\26Jul18\44.D	ricit thor di	35 HID.	
	165	a surrary .	ROY	
200-	out signal	no noisiet		• • • • • • • • • • • • • • • • •
260	tion es			
240-	ain ar ancie	Se acle of		
220	en voer 11 x.	dericulto	ŏ	
100	aissi a ho Ard	- AS ~ SO	Lead	
160	Vistice es size		n-Fropanol	
章: 140 : 120	JUS note thomas	ជ	е х	
100-	der autrie U'	η. Γ	2.01	
1,,00- 11700	as mondate		Λ	
40-	to ttsc.			
20	<u> </u>			
0 0.1 0.	2: 0,3 : 0,4 0.5 : 0.6 : 0,7 : 0,8 0.9 :: 1 : 1.1 :	2 1.3 14 1.5 1.8 1.7	13 19 2 2.1 2.	2.3 2.4 2.5 2.6 2.7 2.8
FLD2 B, BR		[ime [minutes]	,	
280				
260				
240				io L
200		20		r-Fropanol
180-		Ethanol		i, t
a 140		2 2		ħ
120		<u>1</u>		Ň
		1		
<u>60</u>				11
40 20				
	2:0,3 0,4 0,5:0.6 0,7 0,8 0,9 1 1,1 1,	1	1.8 1.0 2 24 27	2 2:3 2:4 2.5 2.6 2.7 2.8
0 0.4 0	2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1 1,1 1,	2. 1.3. 1.4 1.5 1.6 1.7 Time [minutes]	- 1,0 3,0 5 - 4,1 - 4,1	

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Tíme (min)	Peak Area
>Ethanol	0.1642	1.222	107.531
n-Propanol		2.011	174.484

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.343	· 127.914
n-Propanol	2.373	206.050

Page 1 of 1

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1621	1,222	107.863
n-Propanol		2,011	177.340

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.343	128,667
n-Propanol	2.373	209,695

Scottsdale Police Department Crime Lab Volatiles Analysis





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1621	1.222	104,550
n-Propanol		2.011	171.902

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.342	124.445
n-Propanol	2,373	203,200



Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Timə (min)	Peak Area
Acetaldehyde		1.076	4.934
>Ethanol	0.2167	1.222	139,465
n-Propanol		2,011	171.243

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaidehyde	0.983	6.219
Ethanol	1,342	167.792
n-Propanol	2.373	202.438

Case:

60

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1; FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1,077	5,329
>Ethanol	0.2206	1.223	145.273
n-Propanol		2.012	175,191

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Areá
Acetaldehyde	0.984	6.678
Ethanol	1.344	174,775
n-Propanol	2.374	207,189

Case;



ample:		ltem ni	mber)	1226301
ijection date:	7/26/2018 4:03:42 PM	Vial:	C^{3}	49
lethod:	ethanol quant.M	Seque	nce:	26Jul18
nstrument:		Analy	131 S	Adrian
ata file;	C:\Chem32\1\Data\26Jul18\49.D	ed tize on	TE	
		ricle thomassed	112,	
	C:\Chem32\1\Data\26Jul18\49.D	Sur Sur No. 20t		
C FIDI A, Pro	ont Signal Dissemination is real Dissemination cless Justice Agencies Justices agencies to unauthorized to unauthorized	Ja Jan BK		
200 260	tion as t	an collis is		
. 280- 1 . 240-	inationcles	Seconcies IS agencies IS Agencies IS ty Prosecutor		
220	own, del., 1	derie alto.		
200	Cisso, AS ML	1 34 2000	凝	
160	Vio chico es ize	J 0105	n-Proparol	
4 140-	IUS actes bollo	1		
100	Clering Utiling C	e e	2.01	
00-	as nor Asle	Acetone	Λ	
60- 40-	to stisu	, Ac	1	
20	COL.	1.80	\mathcal{N}	
0 0.1 0	Areas a superior of the superi	2 1.3 1:4 1.5 1.6 1.7 1.8 1:9	2 · 2,1 · 2,2	2,3 2.4 2.5 2.6 2.7 2.
		.7[me_[m]nutes]		
FID2 B, Bo	ick Signal			
260				
240				õ
- 200-				Propano
100				24
160- 140-				к К
120				
100-		one		A
90 60		Acetone		
: 405		- CSC		
20.				1 \

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetone	N=//==#	1.804	4.043
n-Propanol		2.013	175,849

.

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetone	1.503	4,755
n-Propanol	2.375	206.441

Case:

User: wadrian 7/30/2018

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acelone	8478-7	1.804	4.124
n-Propanol		2,013	178.382

Compound	Tíme (min)	Peak Area
Acetone	1,504	4,826
n-Propanol	2.376	209,132

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,0969	1,223	63,983
n-Propanol		2.011	176.743

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1,343	75.230
n-Propanoi	2.373	209,017



Scottsdale Police Department Crime Lab Volatiles Analysis

Sample:		ltem num	beri	323-01A
Injection date:	7/26/2018 4:15:42 PM	Vial:	$\mathcal{C}^{\mathcal{S}}$	52
Method:	ethanol quant.M	Sequence	101 ¹	26Jul18
Instrument:	US14173023 CN14160045	Analyst:	all'r	Adrian
Data file:	C:\Chem32\1\Data\26Jul18\52.D	die 100 min	15	
FID1 A, Fr 200- 260- 240- 220- 200- 190- 190- 190- 120- 100- 100- 60- 20- 20- 20- 20- 20- 20- 20- 2	ont Signal is for a contract of the contract o	stricted to 7200 million of the second to 1200 million of the second to 1200 million of the second to 1550 million of the seco	10mpdol 44	
0 0.4 0,	2 03 04 05 06 07 08 09 1 1.1	1,2 1,3 1,4 1,5 1,6 1,7 1,8 1,9 2 Time [minutes]	2.1 2.	2 2.3 2.4 2.5 2.5 2.7 2.8
FID2 B, Bo	ick Signal			
260				
240-				ję.
200				n-Propanol
180		•	-	
5 140		.35 Ethanol		8
120		击		ñ
100- 00-		1,35		
60		٨		11
40-		1		
	2:0,3:0,4 0.5: 0,8 0,7 0.8 0,9 1 1.1	1/2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2	2.2.1.2	2 2.3 2.4 2.5 2.6 2.7 2.8
		Time (minutes)		

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0983	1,226	65.173
n-Propanol		2.014	177,408

Compound	Time (min)	Peak Area
Ethanol	1,348	77.184
n-Propanol	2.378	209,778

Scottsdale Police Department Crime Lab Volatiles Analysis





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1674	1.223	110,228
n-Propanol		2,012	175.420

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.343	132,655
n-Propanol	2,373	208.503






Table 1; FID 1 A	(column DB-ALC1)
------------------	------------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1663	1.222	110,324
n-Propanol		2.011	176.774

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.343	132,573
n≁Propanol	2,373	210.314

Case



Scottsdale Police Department Crime Lab Volatiles Analysis

Sample:			Item number:	1221794
Injection date:	7/26/2018 4:31:58 PM		Viai:	56
Method:	ethanol quant.M	CS	Sequence:	26Jul18
Instrument:	US14173023 CN14160045	. *0	Analyst:	Adrian
Data file:	C:\Chem32\1\Data\26Jul18\56.D	ed this	so ownite	
 ☐ F{D1 A, Free 260 250 240 220 200 380 450 460 100 60 40 20 	C:\Chem32\1\Data\26Jul18\56.D	Stestinic editorial statistics authorit sestinic editorial sestinic editorial sestinic editorial sestinic editorial sestinic editorial agencies sestinic sestinic ses	HISSOHID. PROHID. Jourdou-u 107	
0 0.1 0.	2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1	1.1 1.2 1.3 1.4 1.5 1.6	1.7 1.8 1.9 2 2.1 2.3	2 2.3 2.4 2.5 2.6 2.7 2.0
PID2 B. Ba	ck Signal	and the second sec	·	
280- 260 240 220 200 180 160 140 120 100 00 00 00 00 00 00 00 00	ep Hep Bis Sec 2 0.3 : 0.4 0;6: : 0.6 0;7' 0;8: : 0;8 : : 1	. S Ethanol		2 2,3 2,4 2,6 2,7 2,8
in regionality della Vi internationality della Vi internationality della Vi		Time [minutes]		


Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Tìme (min)	Peak Area
Acetaldehyde		1,078	4.846
>Ethanol	0.1610	1.226	109.014
n-Propanol	· · · · · · · · · · · · · · · · · · ·	2.015	180,427

Compound	Time (min)	Peak Area
Acetaldehyde	0,986	6.041
Ethanol	1.348	129.474
n-Propanol	2.378	214.031

Case:

User: wadrian 7/30/2018






Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.076	4.990
>Ethanol	0.1575	1.222	104,651
n-Propanol		2.012	177,060

Compound	Time (min)	Peak Area
Acetaldehyde	0,983	6,258
Ethanol	1.343	125,868
n-Propanol	2.373	209.878






Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acelaldehyde		1,078	4.673
>Ethanol	0.2851	1.224	188.562
n-Propanol	****	2.014	175.737

Table 2; FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaidehyde	0,985	5.873
Ethanol	1,346	227.406
n-Propanol	2,377	208,877

Case:

Page 1 of 1






Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Tìme (min)	Peak Area
Acelaldehyde	****	1.078	4.734
>Ethanol	0.2848	1,224	188.357
n-Propanol	LEARNY	2.014	175.887

Table 2; FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acelaidehyde	0,985	5.931
Ethanol	1.346	226.961
n-Propanol	2.376	208,909

Case:

User; wadrian 7/30/2018

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,0811	1,223	51.915
n-Propanol	n	2.012	171,859

Compound	Time (min)	Peak Area
Ethanol	1.344	61.168
n-Propanol	2.374	203,378

Scottsdale Police Department Crime Lab Volatiles Analysis




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0830	1.229	56.664
n-Propanol	14-14-14	2.017	182.729

Compound	Time (min)	Peak Area
Ethanol	1.353	86,716
n-Propanol	2,382	216,730

Case:

User: wadrian 7/30/2018

Scottsdale Police Department Crime Lab Volatiles Analysis





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde	-4-1-24	1.079	5,585
>Ethanol	0.0921	1,227	62.515
n-Propanol	94.94.749.84.94	2.016	181762

Compound	Time (min)	Peak Area
Acetaldehyde	0,987	6.988
Ethanol	1,350	73.936
n-Propanol	2.379	215,619



Scottsdale Police Department Crime Lab Volatiles Analysis

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.078	5.428
>Ethanol	0.0912	1,225	60.475
n-Propanol		2.014	177.700

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0,985	6.773
Ethanol	1,348	70.895
n-Propanol	2.377	210.640

Case: |