## SCOTTSDALE POLICE DEPARTMENT CRIME LABORATORY BLOOD ALCOHOL FACE SHEET

ANALYSIS DATE	12/20/2022	SEQUENCE NAME	20Dec22
EQUIPMENT Pipettor Gas Chromatograph	Hamilton ML600		600GJ10749
INSTRUMENT CAL	IBRATION STI	cted to nized seminer	
Vial 1 0.02 calibrator	Lot FN10051909	N'AN AR	ent of determination (r <sup>2</sup> )
Vial 2 0.10 calibrator	Lot FN0531 1902	0.5	99999
Vial 3 0.20 calibrator	Lot FN02052101	gencicutor	
Vial 4 0.40 calibrator	COT FN03052102	01050	
Jus	encieuthonicity		


## CALIBRATION VERIFICATION AND RESOLUTION TEST


Vial	Sample to	Expected result	Measured result	Manufacturer/lot
5	Blank	Not detected	Not detected	SPD lab 100722AQ
6	Volatiles mixture	6 compounds	6 compounds	SPD lab 050721MIX
7	Aqueous control	0.400 g/dL	0.400 g/dL	Lipomed 11092018-A
8	Aqueous control	0.040 g/dL	0.040 g/dL	Lipomed 14082019-B
9	Blood control	0.199 g/dL	0.206 g/dL	ACQ 4110320133/8
20	Aqueous control	0.080 g/dL	0.081 g/dL	Lipomed 20012020-B
31	Blood control	0.199 g/dL	0.205 g/dL	ACQ 4110320133/8
42	Aqueous control	0.080 g/dL	0.082 g/dL	Lipomed 20012020-B
53	Aqueous control	0.400 g/dL	0.402 g/dL	Lipomed 11092018-A
54	Aqueous control	0.040 g/dL	0.041 g/dL	Lipomed 14082019-B
55	Blood control	0.199 g/dL	0.206 g/dL	ACQ 4110320133/8
56	Blank	Not detected	Not detected	SPD lab 101921WB
	ts in the sequence		ibjects requiring reana ed as expected.	alysis <u>0</u>
Run va Run inv		la Canonico	Run valid 🕅 🔗	nig Burk
		alyst		Technical Reviewer
	ent ID: <b>1208</b> n Date:02/27/2017	Issuing A	Authority: Kris Cano, For	ensic Services Director Page 1 of 1

# Scottsdale Police Department Crime Laboratory Sequence Quality Assurance Summary

Sample Name	Vial	Measured Value (g/dL)	Expected Value (g/dL)	Percent Difference	Absolute Difference (g/dL)
blank 100722AQ	5	negative	negative	ina	92
0.400 11092018-A	7	0.400	0.400	0.00	0.000
0.040 14082019-B	8	0.040	0,040	S 0.00	0.000
0.199 4110320133/8	9	0.206	0.199	3.52	0.007
0.080 20012020-B	20	0.081	0,080	1.25	0.001
0.199 4110320133/8	31	0.205	0,199 5	3.02	0.006
0.080 20012020-B	42	0.082	0.080	2.50	0.002
0.400 11092018-A	53	0.402	0.400 +0	0.50	0.002
0.040 14082019-B	54	0:041	0.040	2.50	0.001
0.199 4110320133/85	55	0.206	0,199	3.52	0.007
blank 101921WB	56	S negative	negative	-	

Calibrator	Ethanol Area	N-propanol Area	Ratio
0.020	11.582	166.344	0.070
0.100	58.709	166.702	0.352
0.200	120.424	169.400	0.711
0.400	242.149	169.640	1.427






#### Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Ethanol	1.211	11.582
n-Propanol	2.014	166.344


Compound	Time (min)	Peak Area
Ethanol	1.356	12.504
n-Propanol	2.432	180.412



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Ethanol	1.208	58.709
n-Propanol	2.013	166.702


Compound	Time (min)	Peak Area
Ethanol	1.354	63.950
n-Propanol	2.432	180.644



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Ethanol	1.208	120.424
n-Propanol	2.014	169.400

Compound	Time (min)	Peak Area
Ethanol	1.353	131.747
n-Propanol	2.432	183.282



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Time (min)	Peak Area
Ethanol	1.207	242.149
n-Propanol	2.013	169.640

Compound	Time (min)	Peak Area
Ethanol	1.353	265.548
n-Propanol	2.432	183.647



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount	Time	Peak
	(g/100mL)	(min)	Area
n-Propanol	1	2.013	165.992

Compound	Time (min)	Peak Area
n-Propanol	2.432	179.627




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Methanol		0.956	21.189
Acetaldehyde		1.054	35.715
>Ethanol	0.0700	1.210	41.829
Isopropanol		1.483	74.899
Acetone	and the second sec	1.783	33.412
n-Propanol		2.014	169.474

Compound	Time (min)	Peak Area
Acetaldehyde	0.979	39.997
Methanol	1.061	23.368
Ethanol	1.356	45.416
Acetone	1.520	36.652
Isopropanol	1.613	82.815
n-Propanol	2.433	183.368





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.4004	1.207	236.371
n-Propanol	- 1 ( <del>1 )</del>	2.013	165.520


Compound	Time (min)	Peak Area
Ethanol	1.353	259.598
n-Propanol	2.431	179.171



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0407	1.210	24.123
n-Propanol		2.014	169.802


Compound	Time (min)	Peak Area
Ethanol	1.355	26,175
n-Propanol	2.432	183.911



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2067	1.211	130.714
n-Propanol		2.017	177.693


Compound	Time (min)	Peak Area
Ethanol	1.359	143.010
n-Propanol	2.437	192.206



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0819	1.210	49.758
n-Propanol		2.015	171.956

Compound	Time (min)	Peak Area
Ethanol	1.357	54.133
n-Propanol	2.434	185,919




#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2059	1.210	128.821
n-Propanol		2.016	175.798

Compound	Time (min)	Peak Area
Ethanol	1.358	140.913
n-Propanol	2.436	189.930





#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0822	1.211	50.625
n-Propanol		2.016	174.402

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.357	55.126
n-Propanol	2.435	188.557




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.4029	1.207	244.177
n-Propanol		2.014	169.904

Compound	Time (min)	Peak Area
Ethanol	1.353	267.755
n-Propanol	2.432	183.726





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0415	1.211	24.912
n-Propanol		2.015	172.079


Compound	Time (min)	Peak Area
Ethanol	1.357	27.062
n-Propanol	2.433	186.094



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2061	1.211	130.914
n-Propanol		2.016	178.544

Compound	Time (min)	Peak Area
Ethanol	1.358	143.198
n-Propanol	2.436	192.919



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount	Time	Peak
	(g/100mL)	(min)	Area
n-Propanol	11 1241	2.017	179.391

Compound	Time (min)	Peak Area
n-Propanol	2.437	194.267

## Sequence Summary

Page 1 of 2

Sample FN10051909 FN05311902 FN02052101 FN03052102 100722AQ 050721MIX 11092018-A 14082019-B	Description 0.020 calibrator 0.100 calibrator 0.200 calibrator 0.400 calibrator	Calibration	MIC.J. MIMSUP. MINATED.	and the second s
FN10051909 FN05311902 FN02052101 FN03052102 100722AQ 050721MIX 11092018-A	0.020 calibrator 0.100 calibrator 0.200 calibrator 0.400 calibrator	Calibration Calibration Calibration	MIMSIPA MARTED.	ethanol quant.N
FN05311902 FN02052101 FN03052102 100722AQ 050721MIX 11092018-A	0.100 calibrator 0.200 calibrator 0.400 calibrator	Calibration	minathe D.	ethanol quant.N ethanol quant.N
FN02052101 FN03052102 100722AQ 050721MIX 11092018-A	0.200 calibrator 0.400 calibrator	Calibration	MITER	ethanol quant.M
FN03052102 100722AQ 050721MIX 11092018-A	0.400 calibrator estre			
100722AQ 050721MIX 11092018-A	SVI A		,110,	ethanol quant.M
050721MIX 11092018-A		Calibration	)Kii	ethanol quant.M
11092018-A	Negative	Control		ethanol quant.M
	Volatiles mix C	Control		ethanol quant.M
14082019-B	. 210.400 100 Sev	Control		ethanol quant.M
	errin (1940), V. de	Control		ethanol quant.M
4110320133/8	155 0 A 3,199 1 2 3.9	Control		ethanol quant.M
327-010.H.	ctice es ite pre	Sample		ethanol quant.M
327-010.H.	JUS note thomas it	Sample		ethanol quant.M
176-01C.B.	ader autrie Uni	Sample		ethanol quant.M
176-01C.B.	as uno dano	Sample		ethanol quant.M
327-01H.T.	to stiss	Sample		ethanol quant.M
327-01H.T.	SU	Sample		ethanol quant.M
326-01B.M.		Sample		ethanol quant.M
326-01B.M.		Sample		ethanol quant.M
176-01M.B.		Sample		ethanol quant.M
176-01M.B.		Sample		ethanol guant.M
20012020-B	0.080	Control		ethanol guant.M
415-01M.W.		Sample		ethanol quant.M
415-01M.W.		and the second se		ethanol quant.M
		the second se		ethanol quant.M
2223674-2		a second and a second se		ethanol quant.M
1412722		the second s		ethanol guant.M
1412722				ethanol quant.M
1434127	4	in the second		ethanol quant.M
	4 mm.	in the second se		ethanol quant.M
		and the second s		ethanol quant.M
				ethanol quant.M
	0.199			ethanol quant.M
				ethanol quant.M
		· · · · · · · · · · · · · · · · · · ·		ethanol quant.M
				ethanol quant.M
and the second sec				ethanol quant.M
		and the second s		ethanol quant.M
		and the second sec		ethanol quant.M
		second		ethanol quant.M
and the local of t		a second a real of the		ethanol quant.M
		the second se		ethanol quant.M
and he is an inclusion of the second		Contraction of the American Street of the		ethanol quant.M
	0.020	a second s		ethanol quant.M
		Control		a second and the second second second
20012020-В	0.080	Sample		ethanol quant M
20012020-В 2222652-3	0.000	Sample		a second s
20012020-B 2222652-3 2222652-3	0.000	Sample		ethanol quant.M
20012020-В 2222652-3		and the second sec		ethanol quant.M ethanol quant.M ethanol quant.M ethanol quant.M
N N N N N N N N N N N N N N N N N N N	115-01M.W.   2223674-2   2223674-2   1412722   1412722   1434127   1434127   1434127   2223760-1   110320133/8   22237982-   2223821-2   2223824-1   2223824-1   2223842-2   2223758-3   2223758-3	115-01M.W. 2223674-2   2223674-2 2223674-2   1412722 412722   1434127 1   1434127 1   2223760-1 2223760-1   1110320133/8 0.199   2223824-1 2223824-1   2223842-2 2223842-2   2223758-3 2223758-3	115-01M.W. Sample   2223674-2 Sample   2223674-2 Sample   2223674-2 Sample   1412722 Sample   1412722 Sample   1412722 Sample   1434127 Sample   1434127 Sample   1223760-1 Sample   1223760-1 Sample   110320133/8 0.199   2223760-1 Sample   1223760-1 Sample   110320133/8 0.199   2223760-1 Sample   12237982 Sample   2223824-1 Sample   2223824-1 Sample   2223824-1 Sample   2223824-1 Sample   2223824-2 Sample   2223824-2 Sample   2223824-2 Sample   2223758-3 Sample   2223758-3 Sample   2223758-3 Sample   2223758-3 Sample   2223758-3 Sample   22012020-B 0.080 Control	115-01M.W. Sample   2223674-2 Sample   2223674-2 Sample   1412722 Sample   141272 Sample   1434127 Sample   1434127 Sample   12223760-1 Sample   110320133/8 0.199   0.199 Control   2223824-1 Sample   2223824-1 Sample   2223824-1 Sample   2223824-1 Sample   2223824-2 Sample   2223824-2 Sample   2223824-2 Sample   2223824-2 Sample   2223824-2 Sample   2223824-2 Sample   2223758-3 Sample   2223758-3 Sample   20012020-B 0.080 Control

827

## Sequence Summary

Page 2 of 2

20

# Scottsdale Police Department Crime Laboratory Summary of Cases

EC

EQUENC	E NAME: 20Dec22				ANALYST: Canonico
Vials	Test 1 (g/dL)	Test 2 (g/dL)	Mean (g/dL)	Percent Difference*	Absolute Difference (g/dL)*
10 11	0.1807	0.1760	0.17835	132	0.00235
12 13	0.1069	0.1089	0.10790	0.93	0.00100
14 15	0.1253	0.1262	0.12575	0.36	0.00045
16 17	0.1456	0.1431	0.4435	0.87	0.00125
18 19	0.2608	0.2634	0.26210	0.50	0.00130
21 22	0.1676	0.1658	0 16670	0.54	0.00090
23 24	0.2303	0.2286	0.22945	0.37	0.00085
25 26	0.2082	0.2006	0.20440	1.86	0.00380
27 28	0.1140	0.1118 2	0.11290 5	0.97	0.00110
29 30	0.1237	0.1244	0.12405	0.28	0.00035
32 33	0.2587	0(2581	0.25840	0.12	0.00030
34 35	0.2567	0.2532	0.25495	0.69	0.00175
36 37	0.2536	0.2490	0.25130	0.92	0.00230
38 39	0.0649	50.06461	0.06475	0.23	0.00015
40 41	0.2061	C 0.201 .: 1	0.20510	0.49	0.00100
43 44	0.2180	0.2242	0.22110	1.40	0.00310
45 46	0.3088	0.3137	0.31125	0.79	0.00245
47 48	0.1485 🗙 🔿	0.1489	0.14870	0.13	0.00020
49 50	0.2382	0.2362	0.23720	0.42	0.00100
51 52	0.0913	0.0930	0.09215	0.92	0.00085

\*Calculated differences are differences from the mean of the two results.

# Scottsdale Forensic Lab Blood Alcohol Pipetting Log

ANALYST: Canonico

SEQUENCE: 20Dec22

in the second	In the second second	hand and a second participation of		and the second second
Instrument Position	Headspace Vial 1	Headspace Vial 2	Min Blood	Barcode Match
Vials 10 and 11	327-01O.H.	327-010.H.	8 327-010.H.	Yes
Vials 12 and 13	176-01C.B.	176-01C.B	176-01C.B.	Yes
Vials 14 and 15	327-01H.T.	327-09H.T.	0R-327-01H.T.	Yes
Vials 16 and 17	326-01B.MO	G 326-01BM.	5 326-01B.M.	Yes
Vials 18 and 19	176-00M.B.	176-01M.B.	√ 176-01M.B.	Yes
Vials 21 and 22	415-01MW	415.01M.W.C	415-01M.W.	Yes
Vials 23 and 24	2223674-25	2223674-2	2223674-2	Yes
Vials 25 and 26	1412722	1412722	1412722	Yes
Vials 27 and 28	8 1434127	1434127	1434127	Yes
Vials 29 and 30	2223760 15	2223760-1	2223760-1	Yes
Vials 32 and 33	22237982	22237982	22237982	Yes
Vials 34 and 35	2223811-2	2223811-2	2223811-2	Yes
Vials 36 and 37	2223824-1	2223824-1	2223824-1	Yes
Vials 38 and 39	2223842-2	2223842-2	2223842-2	Yes
Vials 40 and 41	2223758-3	2223758-3	2223758-3	Yes
Vials 43 and 44	2222652-3	2222652-3	2222652-3	Yes
Vials 45 and 46	2224080-2	2224080-2	2224080-2	Yes
Vials 47 and 48	1439206	1439206	1439206	Yes
Vials 49 and 50	2223754-3	2223754-3	2223754-3	Yes
Vials 51 and 52	2223829-2	2223829-2	2223829-2	Yes

page 1 of 1




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1807	1.212	115,431
n-Propanol	2 Free	2.018	179.673

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.360	125.750
n-Propanol	2,438	193.747




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1760	1.209	106.931
n-Propanol		2.015	170.878

Compound	Time (min)	Peak Area
Ethanol	1.355	116.775
n-Propanol	2.434	184.440




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1069	1.211	66.673
n-Propanol		2.017	176.172

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.359	72.273
n-Propanol	2.436	190.466



## Scottsdale Police Department Crime Lab Volatiles Analysis

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1089	1.212	72,397
n-Propanol	1. I	2.017	187.687

Compound	Time (min)	Peak Area
Ethanol	1.360	78.638
n-Propanol	2.438	202.864





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1253	1.211	78.695
n-Propanol		2.017	177.076

Compound	Time (min)	Peak Area
Ethanol	1,359	85.605
n-Propanol	2.437	191.461




### Scottsdale Police Department Crime Lab Volatiles Analysis

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1262	1.212	80.919
n-Propanol		2.018	180.741

Compound	Time (min)	Peak Area
Ethanol	1.360	87.979
n-Propanol	2.438	195.383




## Scottsdale Police Department Crime Lab Volatiles Analysis

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1456	1.211	92.587
n-Propanol	· · · · · · · · · · · · · · · · · · ·	2.017	179.115

Compound	Time (min)	Peak Area
Ethanol	1.359	100.869
n-Propanol	2.437	193.548




## Scottsdale Police Department Crime Lab Volatiles Analysis

Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1431	1.209	89.794
n-Propanol	1111	2.015	176.767

Compound	Time (min)	Peak Area
Ethanol	1.356	97.694
n-Propanol	2,434	191.314




#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2608	1.210	162.046
n-Propanol		2.016	174.416

#### Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.357	177.246
n-Propanol	2.435	188.146



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2634	1.210	166.278
n-Propanol	1.	2.017	177.211

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.358	181.524
n-Propanol	2.436	191.052




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1676	1.210	105.307
n-Propanol	1	2.016	176.832

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.981	4.045
Ethanol	1.357	114.701
n-Propanol	2.435	190.883




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1658	1.209	101.615
n-Propanol	11.1	2.014	172.498

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.979	4.117
Ethanol	1.355	110.551
n-Propanol	2.433	186,417




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2303	1.210	144.845
Acetone	1. 11	1.788	3.817
n-Propanol	· · · · · · · · · · · · · · · · · · ·	2.016	176.689

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.357	158.513
Acetone	1.523	4.078
n-Propanol	2.435	190,663



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2286	1.209	139.523
n-Propanol	1.000	2.015	171.437

Compound	Time (min)	Peak Area
Ethanol	1.355	152.697
Acetone	1.522	3.970
n-Propanol	2.434	185.159




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.057	4,147
>Ethanol	0.2082	1.212	136.314
n-Propanol		2.018	183.995

## Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.982	4.623
Ethanol	1.360	150.194
n-Propanol	2.438	199.237




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde	10 1 1 miles	1.055	4.279
>Ethanol	0.2006	1.208	123.863
n-Propanol	1	2.014	173.554

Compound	Time (min)	Peak Area
Acetaldehyde	0.979	4.865
Ethanol	1.355	135.162
n-Propanol	2.433	188.127




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1140	1.212	71,734
n-Propanol		2.017	177.612

Compound	Time (min)	Peak Area
Ethanol	1.359	77.875
n-Propanol	2.437	191.911



Table 1: FID 1 A	(column	DB-ALC1)
------------------	---------	----------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1118	1.209	68.984
n-Propanol		2.015	174.180

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.356	74.772
n-Propanol	2.433	188.573




Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1237	1.212	81.551
n-Propanol	IN TOTAL	2.017	185.919

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.360	88.671
n-Propanol	2.438	200.804





Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.1244	1.212	84.680
n-Propanol		2.017	191.892

Compound	Time (min)	Peak Area
Ethanol	1.360	92.111
n-Propanol	2.437	207.405







Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2587	1.209	162.162
n-Propanol	11-1-2	2.015	175.986

Compound	Time (min)	Peak Area
Ethanol	1.355	177.371
n-Propanol	2.433	189.705

Case:





Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0,2581	1.209	160.876
n-Propanol		2.016	175.018

Compound	Time (mín)	Peak Area
Ethanol	1.356	175.886
n-Propanol	2.435	188.789




## Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2567	1.211	164.767
n-Propanol	dir lenk (	2.017	180.196

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.359	180.152
n-Propanol	2.437	194.086



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2532	1.209	157.718
n-Propanol	10.00	2.015	174.891

#### Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.355	172.665
n-Propanol	2.434	188.587





Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2536	1.211	164.219
n-Propanol		2.017	181.845

#### Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1,359	179.610
n-Propanol	2.437	196.198



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2490	1.210	159.035
n-Propanol	I I I I I I I I I I I I I I I I I I I	2.016	179.351

Compound	Time (min)	Peak Area
Ethanol	1.357	173.756
n-Propanol	2.436	193.525






Table 1: FID 1 A (	column DB-ALC1)
--------------------	-----------------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0649	1.213	40.918
n-Propanol		2,017	179.000

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.361	44.277
n-Propanol	2.438	193.552




### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0646	1.212	40.614
n-Propanol	10113-5-5-0	2.017	178.688

#### Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.360	43.803
n-Propanol	2.437	193.122



#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2061	1.211	131.473
n-Propanol	ini tamè an	2.016	179.248

Table 2: FID 2 B (column DB-ALC2)


Compound	Time (min)	Peak Area
Ethanol	1.358	144.796
n-Propanol	2.436	193.799





Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2041	1.211	127.074
n-Propanol	1000	2.016	175.011

Compound	Time (min)	Peak Area
Ethanol	1.358	140.006
n-Propanol	2.436	189.290




## Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2180	1.208	133.588
n-Propanol	1.	2.014	172,200

## Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.354	146.089
n-Propanol	2.432	186.122




### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2242	1.210	146.297
n-Propanol		2.016	183.338

## Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.358	159.790
n-Propanol	2.436	197.948






Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.3088	1.209	193.810
n-Propanol		2.015	176.102

#### Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.355	212.077
n-Propanol	2.434	189.964






#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.3137	1.211	199.652
n-Propanol	1 1 1 1 C = 1	2.017	178.583

Compound	Time (min)	Peak Area
Ethanol	1.359	218.483
n-Propanol	2.437	192.809

User: ecanonico 12/21/2022



# Scottsdale Police Department Crime Lab Volatiles Analysis

### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde		1.056	3.842
>Ethanol	0.1485	1.210	93.661
n-Propanol	- <u> </u>	2.016	177.589

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.981	4.344
Ethanol	1.357	101.732
n-Propanol	2.435	192.156




Table	1:	FID	1 A I	(column	DB-ALC1	)
-------	----	-----	-------	---------	---------	---

Compound	Amount (g/100mL)	Time (min)	Peak Area
Acetaldehyde	100 million -	1.056	3.762
>Ethanol	0.1489	1.211	92.726
n-Propanol		2.017	175.301

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Acetaldehyde	0.981	4.208
Ethanol	1.359	100.703
n-Propanol	2.437	189.564




#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2382	1.212	156.330
n-Propanol	- 10 <del>- 10</del> - 10 - 10	2.018	184.304

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.360	170.666
n-Propanol	2.438	199.023

User: ecanonico 12/21/2022





#### Table 1: FID 1 A (column DB-ALC1)

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.2362	1.211	151.711
n-Propanol	11.	2.017	180.357

## Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.359	165.615
n-Propanol	2.437	194,692

User: ecanonico 12/21/2022






Table 1: FID 1	1 A (column	DB-ALC1)
----------------	-------------	----------

Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0913	1.210	57.298
n-Propanol		2.015	177.573

Compound	Time (min)	Peak Area
Ethanol	1.356	62.058
n-Propanol	2,434	191.856





Compound	Amount (g/100mL)	Time (min)	Peak Area
>Ethanol	0.0930	1.212	61.303
n-Propanol		2.017	186.288

Table 2: FID 2 B (column DB-ALC2)

Compound	Time (min)	Peak Area
Ethanol	1.359	66.424
n-Propanol	2.437	201.295