

TYPE OF UPDATE	DSPM CHAPTER	DSPM SECTION	PROPOSED UPDATE TITLE	PROPOSED UPDATE DESCRIPTION
Existing provision with minor updates	1	1-2.108	CITY COUNCIL, CITY BOARDS, AND COMMISSIONS	Transportation is looking to add the Transportation Commission in development application recommendation process.
Existing provision with minor updates	1	1-3.600	SOIL NAIL SHORING PERMIT REQUIREMENTS	Engineering is looking to clarify video of city infrastructure requirements.
Existing provision rewritten, or with major updates	1	APPENDIX 1-2A	PUBLIC PARTICIPATION TABLE	Planning is looking to integrate a table of requirements into public participation section
Existing provision with minor updates	2	2-1.100	OLD TOWN URBAN DESIGN GUIDELINES	Planning is looking to update Design Guidelines reference to reflect UDAG as guidelines for a specific area of the city and not specific use, This should be similar to Sensitive Design Guideline Principles.
Existing provision with minor updates	2	2-1.208, 2-1.209	SITE LIGHTING STANDARDS	Planning is looking to update site lighting standards to be consistent with forthcoming Lighting Design Guidelines
New provision	2	2-1.300	RIDESHARE	Transportation is looking to add discussion regarding rideshare and drop-off/pick-up areas
Existing provision with minor updates	2	2-1.300	ON-SITE CIRCULATION AND PARKING DESIGN	Transportation is looking to update definitions.
Existing provision with minor updates	2	2-1.302	GATED PRIVATE STREETS AND RESIDENTIAL DRIVEWAYS	Transportation is looking to update verbiage and references
Existing provision with minor updates	2	2-1.303	EMERGENCY ACCESS AND FIRE LANES	Fire has provided revisions to part B, Fire Lanes with reworded criteria and revised figures.
Existing provision with minor updates	2	2-1.304	DRIVE-THRU SPEAKERS	Planning is looking to provide direction on location of drive-thru speakers.
Existing provision with minor updates	2	2-1.306	DESERT SCENIC ROADWAYS SETBACKS	Planning is looking to update desert scenic roadway setback standards for consistency with city policies and General Plan as required by 1-GP-2004 and Scenic Corridor Design Guidelines
New provision	2	2-1.307	TANDEM PARKING	Planning is looking to update graphic 2-1.7, garage and carport parking width, to include tandem parking solutions.
Existing provision with minor updates	2	2-1.309	SHARED REFUSE AGREEMENTS	Engineering is looking to modify shared refuse agreement requirements and applicability.
New provision	2	2-1.500	LANDSCAPING - TREES FOR AIR QUALITY	Planning is looking to provide guidance on the use of trees for air quality
New provision	2	2-1.500	LANDSCAPING - SYNTHETIC LANDSCAPE MATERIALS	Planning is looking to provide guidance on the use of synthetic landscaping materials
Existing provision with minor updates	2	2-1.501	LANDSCAPING WITHIN SITE VISIBILITY TRIANGLES	Planning is looking to update landscaping restrictions within site visibility triangles in conformance with Transportation chapter requirements.
Existing provision with minor updates	2	2-1.501.L	LANDSCAPE DESIGN STANDARDS	Planning is looking to remove decomposed granite restriction in ESL areas
Existing provision with minor updates	2	2-2.308	DRIVEWAYS	Fire has provided revised ESL residential driveway criteria and figures.
Existing provision with minor updates	2	2-TBD	GIH & LID	Planning is looking to integrate references to the Green Infrastructure Handbook and Low Impact Development into document.
New provision	3	3-1.201, 3-1.301	SUBDIVISION AND LOT ACCESS	Transportation is looking to add an improved, paved for lots created through major subdivision process and surface meeting minimum standards for emergency + service vehicles for lots created through a minor subdivision process, street frontage requirement, to the nearest paved public street.
Provision with minor updates	3	3-1.501	MINOR SUBDIVISIONS	Engineering is looking to clarify that the creation of a tract requires the processing of a major subdivision.
Existing provision with minor updates	3	3-1.900	CHAPTER 3 APPENDICES	Engineering is looking to convert the appendices of Chapter 3 to sections.
New provision	3	3-1.907	STANDARDIZED PLAT NOTES	Engineering is looking to standardize COS related plat notes.
Existing provision with minor updates	5	5-1	TIMA REQUIREMENTS	Transportation is looking to clarify definitions and requirements of each category of Traffic Statements and TIMAs, and define City need for digital modeling files.
Existing provision rewritten, or with major updates	5	5-10	FLEXIBLE PAVEMENT DESIGN UPDATE	Transportation may be looking to remove flexible pavement as a ROW pavement requirement and instead utilize EVAC mixes.
Existing provision with minor updates	5	5-11	STREET LIGHTING	Transportation is looking to update street lighting Appendices.
New provision	5	5-2.600	FIBER CONDUIT AND PULL BOXES	Planning is looking to integrate telecom requirements for fiber conduit and pull boxes
New provision	5	5-2.600	MARSHALLING YARD	Transportation is looking to add provisions governing construction marshalling and storage yard in ROWs.
Existing provision with minor updates	5	5-3.1	STREET CROSS-SECTIONS (BIKE LANES)	Transportation is looking to define preference of a 6-ft bike lane on arterials and major collectors, with 5-ft minimum elsewhere.
Existing provision with minor updates	5	5-3.123	SITE VISIBILITY TRIANGLE GRAPHIC	Planning is looking to update figure 5-3.26: Intersection Departure Sight Distance Requirements.
Existing provision with minor updates	5	5-3.123	INTERSECTION SIGHT DISTANCE + EASEMENTS	Transportation is looking to update definitions and narrative.
Existing provision with minor updates	5	5-3.124	ROUNDABOUTS	Transportation is looking to update narrative of RABs, including necessary sight distance with the possible removal of Figure 5-3.34.
Existing provision with minor updates	5	5-3.204	RESIDENTIAL DRIVEWAY	Engineering + transportation to coordinate residential driveway width between DSPM + COS Mag Detail.
Existing provision with minor updates	5	5-3.205	NON-RESIDENTIAL DRIVEWAYS	Transportation is looking to update figure labels for consistency.
Existing provision with minor updates	5	5-3.206	RIGHT TURN DECELERATION LANES	Transportation is looking to describe the preference of reverse curve vs. straight line taper design and update language regarding locations requiring their use.

TYPE OF UPDATE	DSPM CHAPTER	DSPM SECTION	PROPOSED UPDATE TITLE	PROPOSED UPDATE DESCRIPTION
Existing provision with minor updates	5	5-4	TRAFFIC SIGNAL AND STREET LIGHTING EQUIPMENT REFERENCES	Transportation is looking to expand definitions, pole styles, luminaire standards, and other various traffic signal and street lighting equipment related items to include updating of QPL and manufactures list.
Existing provision with minor updates	5	5-5	SIGNING + STRIPING	Transportation is looking to update language regarding placement of speed limit signing, clarify right turn deceleration lengths, add bike symbol and buffered bike lane language, and update PLAN REQUIREMENT language with respect to suggested MATCH LINE.
Existing provision with minor updates	5	5-7.203	SHARED USE OR MULTIUSE PATH REFERENCES	CPM is looking to replace reference to detail 2281 with detail 2282 and add restriction of median bullnoses to a minimum of 2 feet from the edge of path.
Existing provision with minor updates	5	5-8.201	INTEGRALLY-COLORED CONCRETE	Planning is looking to update inconsistencies related to integrally-colored concrete.
Existing provision with minor updates	5	5-TBD	MAG STD DETAILS REFERENCE	Transportation is considering calling out MAG referenced details.
Existing provision with minor updates	6	6-1.103	LINK UPDATE	Water resources is looking to update the link to City website Participation program. In addition, water resources needs to add the program purpose: protect groundwater quality, capture a valuable water resources (sewerage) for reuse in a desert environment.
Existing provision with minor updates	6	6-1.401.E	DIP FIRE LINE SIZING	Water resources is looking to provide consistant DIP fire line sizing between the DSPM and COS standard details.
Existing provision with minor updates	6	6-1.416	METER LANGUAGE	Water resources is looking to clarify water meter sizing language.
Existing provision with minor updates	6	6-1.417	BACKFLOW PREVENTOR SIZING	Water resources is looking to clarify that a backflow preventer can be equal AND larger than service line or meter. Currently states that backflow and meter will be of equal size.
Existing provision with minor updates	6	6-1.500	FIRE PROTECTION	Water resources is looking to add some text corrections.
New provision	6	6-TBD	COUNTY ISLANDS	Water resources is looking to provide clarification that no water line extensions into County islands are to be allowed or approved.
New provision	6 + 7	6 + 7-TBD	SPECIAL DESIGN PROVISIONS	Water resources is looking to add add details regarding BOD requirements for PRVs, sewer lift stations and sewer force mains; making sure to reference revised standard details.
Provision with minor updates	6 + 7	6+7-TBD	WATER + SEWER LINE TERMINOLOGY	Water resources is looking to update terms used in DS&PM to be consistent with terms in Chapter code definitions e.g. "water service line" and "customer supply line" are used; private sewer lateral is now "building sewer"
New provision	6 + 7	6-1.200, 7-1.200	MASTERPLANS	Water resources is looking to add a subsection for water and sewer masterplans for phased planning and construction.
New provision	7	7-1.400	PUBLIC OR PRIVATE SEWER DESIGNATION	Water resources is looking to consolidate language, make consistent and coordinate with code. On-site SS lines to non-platted commercial shopping center developments must be privately owned, operated and maintained. Multi-family developments may elect to install public or private SS per SRC, Section 49-118.
Provision with minor updates	7	7-1.400	SEWER EXTENSION TRIGGER	Water Resources is looking relate code definitions of remodel, modify, >50%, inside fixtures to DSMP.
New provision	7	7-1.402	SEWER LINE LOCATION	Water resources is looking to formally require public sewer lines within commercial, industrial or multi-family developments be located within drive aisles a minimum of 6 feet from any structure.
Provision with minor updates	7	7-1.403	HOTEL AMENITIES	Water resources is looking to clarify the wastewater loading table by defining a hotel with "amenities".
New provision	7	7-1.414	PRIVATE SEWER DESIGN	Water resources is looking to remove language that private sewer systems within non-subdivided commercial properties be designed under current plumbing code as plumbing code allows for flat sewers.
New provision	7	7-TBD	WASTEWATER FLOW MONITORING	Water resources is looking to add language about sewer flow monitoring requirements, method, and data to be provided like, 9 days of continuous monitoring, manhole in straight run of pipe, etc.