Old Town Scottsdale Checklist Urban Design & Architectural Guidelines

This checklist summarizes the Primary and Supporting Guidelines found in the Old Town Scottsdale Urban Design and Architectural Guidelines – online at www.scottsdaleaz.gov – search "UDAG". At your pre-application meeting, your project coordinator will identify design considerations expected of your specific development. This checklist may not represent every potential design-related consideration related to a project as other considerations may arise after more details are provided during the submittal process.

PART I – Old Town Scottsdale

The applicant's submittal shall specify, through narrative and/or graphical exhibits, how the proposal addresses the Old Town Primary and Supporting Guidelines marked below.

Human Connectivity

Enhance the Pedestrian Environment

1. Create an interconnected, walkable downtown.

1.1 Enhance interconnectivity to, from, and within the site

1.2 Incorporate pedestrian links to neighboring developments

1.3 Maintain pedestrian grid pattern of each District

1.4 Design street-spaces/amenities that support the pedestrian

1.5 Minimize pedestrian interruption and pedestrian-vehicular conflicts

2. Maintain a consistent street edge and continuity of street-spaces.

2.1 Align new buildings with existing buildings – minimize space between buildings

2.2 Majority of building frontage at common setback line

2.3 Create a defined streetspace where building frontage does not currently exist

2.4 Unified street appearance through the provision of complementary street furniture, landscaping, etc.

2.5 Linear/rhythmic landscape planting at street edge

2.6 Outdoor dining – not to impede public / pedestrian realm

2.7 Outdoor dining – low, predominantly transparent fencing

2.8 Accommodate outdoor dining / entertainment venues / features, on private land

2.9 Outdoor dining - when separate from building, minimize conflict with the pedestrian clear width

Open Spaces

3. Incorporate open landscaped spaces in Old Town to encourage human interaction.

3.1 Support special events / day-to-day activities with open space and temporary/permanent infrastructure

3.2 Utilize a cohesive palette of design elements in public spaces

3.3 Complement / reinforce the design of adjacent public spaces

3.4 Reduce noise impacts on sensitive uses

4. Connect Old Town open spaces to the surrounding context.

4.1 Visually / physically connect open spaces to adjacent spaces

4.2 Connect private open space / buildings to public open spaces

4.3 Connect open spaces of neighboring developments

4.4 Distinguish between public and private spaces 4.5 Provide open space at intersections

4.6 Direct residential access to adjacent open space

Planning & Development Services Department



	Site & Surrounding Context
	Integration Into the Natural Environment
	5. Manage access and exposure to sunlight; provide shade.
P	5.1 Design for filtered or reflected daylighting
	5.2 Manage seasonal solar exposure – orientation, vegetation, design
	5.3 Provide shade for pathways, outdoor spaces, and as part of building design
	5.4 Minimize, or shade, materials that absorb/retain heat
	6. Design with context-appropriate vegetation.
	6.1 Emphasize a variety of drought tolerant plants
	6.2 Plan for mature vegetation size and maintenance requirements
	6.3 Relate landscaping palette to site architecture and neighboring properties
	6.4 Multi-purpose vegetation – shade, wayfinding, heat relief, screening, etc.
	6.5 Incorporate low impact development practices into site design
	Incorporation Into the Built Environment
	7. Ensure continuity of site development.
	7.1 Orient buildings and active uses to public areas
	7.2 Incorporate courtyards/outdoor spaces into site design – link to neighboring sites and the street
	7.3 Integrate historic resources into development
	7.4 Plan for public art in site / streetscape design
	8. Design new development to be compatible and complementary to existing development.
	8.1 Reflect / enhance the existing character of an area
	8.2 Balance new design elements and existing architectural features and materials
	8.3 Design for compatibility with historic resources
	8.4 Discouraged: corporate or user branding in building design
	9. Minimize the visual and physical impacts of utility equipment and building service areas.
	9.1 Minimize visibility and on-site circulation conflicts of utility equipment/service areas
	9.2 Conceal utility equipment
	9.3 Locate utility equipment and building service/delivery areas along the alley or within the site interior
	9.4 Incorporate rideshare queuing / drop off into site planning
	9.5 Lighting and signage on alleyway-facing façade
	10. Contribute to the ambiance, character, and safety of Old Town through architectural and site lighting.
	10.1 Utilize exterior decorative lighting fixtures that reinforce design and the surrounding context
	10.2 Illuminate / emphasize architectural features
	10.3 Minimize glare, brightness, and visual hot spots
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting 10.6 Provide evenly-distributed, warm lighting beneath covered walkways 10.7 Utilize lighting to emphasize artwork in the public realm
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting 10.6 Provide evenly-distributed, warm lighting beneath covered walkways 10.7 Utilize lighting to emphasize artwork in the public realm 11. Utilize signage that supports Old Town character and function. 11.1 Complement development design and the surrounding area
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting 10.6 Provide evenly-distributed, warm lighting beneath covered walkways 10.7 Utilize lighting to emphasize artwork in the public realm 11. Utilize signage that supports Old Town character and function. 11.1 Complement development design and the surrounding area 11.2 Coordinate sign locations with building / landscape design
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting 10.6 Provide evenly-distributed, warm lighting beneath covered walkways 10.7 Utilize lighting to emphasize artwork in the public realm 11. Utilize signage that supports Old Town character and function. 11.1 Complement development design and the surrounding area 11.2 Coordinate sign locations with building / landscape design 11.3 Permanent business signage at the primary street frontage
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting 10.6 Provide evenly-distributed, warm lighting beneath covered walkways 10.7 Utilize lighting to emphasize artwork in the public realm 11. Utilize signage that supports Old Town character and function. 11.1 Complement development design and the surrounding area 11.2 Coordinate sign locations with building / landscape design 11.3 Permanent business signage at the primary street frontage 11.4 Shingle signs under covered walkways in the Downtown Core
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting 10.6 Provide evenly-distributed, warm lighting beneath covered walkways 10.7 Utilize lighting to emphasize artwork in the public realm 11. Utilize signage that supports Old Town character and function. 11.1 Complement development design and the surrounding area 11.2 Coordinate sign locations with building / landscape design 11.3 Permanent business signage at the primary street frontage 11.4 Shingle signs under covered walkways in the Downtown Core 11.5 Illuminate wall signs with indirect, shielded lighting
	10.3 Minimize glare, brightness, and visual hot spots 10.4 Contribute to pedestrian lighting through exterior and interior building lights 10.5 Provide pedestrian scale lighting 10.6 Provide evenly-distributed, warm lighting beneath covered walkways 10.7 Utilize lighting to emphasize artwork in the public realm 11. Utilize signage that supports Old Town character and function. 11.1 Complement development design and the surrounding area 11.2 Coordinate sign locations with building / landscape design 11.3 Permanent business signage at the primary street frontage 11.4 Shingle signs under covered walkways in the Downtown Core

	Building Design
	Building Mass, Form, & Scale
	12. Design buildings to complement the existing development context.
	12.1 Compatible transition in building scale, height, and mass
	12.2 Design the first few stories to visually relate to adjacent buildings / surrounding context
	12.3 Locate more intense building mass, height, and activity away from Old Town boundary
	12.4 Building form as the primary method to make compatible transitions between Development Types
	13. Reduce apparent building size and mass.
	13.1 Reduce apparent size / mass of buildings – subdivide into base, middle, and top
	13.2 Incorporate setbacks and stepbacks
	13.3 Subdivide large building mass through architectural features and material articulation
	13.4 Avoid long / continuous blank wall planes
	13.5 Physical / visual access points every 100-300 feet – subdivide building mass at regular intervals
	High-Rise Building Design
	14. Design high-rise buildings to reflect design excellence and fit within the surrounding context.
	14.1 Design the base/podium to visually support the middle/tower and top/penthouse sections
	14.2 Distinguish the middle/tower component from the base/podium with pronounced stepback
	14.3 Design the top/penthouse as a signature building element
_	14.4 Provide horizontal separation between multiple high-rise towers
_	14.5 Consider the potential for roof-top amenities
	14.6 Utilize compact floorplates - avoid floorplate where the length is more than three times greater than the building width
	14.7 High-rise building design / placement to support and reinforce Old Town wayfinding
	Parking
	15. Design parking facilities that fit within the surrounding context.
	15.1 Below-grade parking is preferred – provide natural air and light
	15.2 Design above-grade structures to integrate into the neighborhood context
	15.3 Disguise structural components of above-grade structures by incorporating architectural features
_	15.4 Incorporate active uses at the ground floor of above-grade structures
	15.5 Locate at- and above-grade parking at the rear or interior of the development site
_	15.6 Orient short edge of parking facilities along street frontage
_	15.7 Incorporate rhythm / pattern of adjacent architectural design
	Architectural Elements & Detail
	16. Design building façades and architectural features to fit with the surrounding context.
	16.1 Design similar floor-to-floor building heights with adjacent, existing development
	16.2 Align architectural features with adjacent, existing development
	16.3 Repeat architectural elements to link existing and new development
	16.4 Within the Downtown Core - provide continuous covered walkway or shallow courtyard behind walkway
	16.5 Outside the Downtown Core – provide continuous shaded walkway along pedestrian corridors
	16.6 Utilize variety in building design elements that enrich character, visual interest, shadow, contrast, and color
]	17. Design buildings that are inviting.
	17.1 Activate the ground floor of buildings
	17.2 Provide a clearly defined public entrance
_	17.3 Orient main entrance toward the street
	17.5 Orient man entrance toward the street
	17.4 Provide frequent building entrances

Materials

18. Use context-appropriate materials, colors, and textures in Old Town development.

18.1 Utilize materials with colors / coarse textures associated with the desert southwest

18.2 Use materials that complement the existing area

18.3 Use colors / materials that emphasize shadow patterns

18.4 Discouraged: Reflective materials that create glare and façades that are more than 80% glass

18.5 Emphasize muted desert colors – intense, saturated colors only encouraged as accents

18.6 Exterior finish materials such as concrete, brick, and tile to be left in their natural color or colored integrally

18.7 Natural materials are preferred over simulated materials

18.8 Changes in paint color, building material, and/or texture should occur with a change in horizontal wall plane

18.9 Vertically-stacked materials to be ordered by perceived material weight – heaviest at bottom / lightest at top

PART II – Specialty Districts

Specialty Districts provide additional design direction, specific to the following areas within Old Town Scottsdale – Historic Old Town, Civic Center, and Arizona Canal. If applicable, the applicant's submittal shall specify, through narrative and/or graphical exhibits, how the proposal addresses the Specialty District Primary and Supporting Guidelines marked below.

Historic Old Town Design District

Building Design

HOT 1. Reinforce the Frontier Town, Western character of Historic Old Town through architectural design.

HOT 1.1 Incorporate Frontier Town, Western architectural elements and design details

HOT 1.2 Reinforce Historic Old Town character in design of buildings within 100-foot transition area

HOT 1.3 Design buildings with a gable, flat, or shed roof

HOT 1.4 Design two- and three-story buildings to maintain low, human scale

HOT 1.5 Design covered walkways to include shed or flat roof form, wood post/beam structure, rhythmic column spacing, wood shake

shingles, wide walkways, etc.

Storefront Design

HOT 2. Design building storefronts for merchandise display and pedestrian appeal.

HOT 2.1 Running building elevation of no more than 75 feet

HOT 2.2 At least one storefront entrance per building – maximum 50 feet between entrances

HOT 2.3 Design storefronts with clear glass openings equal to 50 - 70% of the storefront area

HOT 2.4 Storefront windows – sills at least 10 inches, but no more than 36 inches above the sidewalk

HOT 2.5 Align horizontal architectural elements with adjoining buildings

HOT 2.6 Utilize transparent, single or multilight wood frame door within a solid wall

HOT 2.7 Encouraged: Security features that contribute to building design

HOT 2.8 Discouraged: Exterior-mounted, roll-down security shutters on street-facing building façades

HOT 2.9 Exterior-mounted, roll-down security shutters may be considered on the rear of a building

Colors, Materials, & Site Furnishings

HOT 3. Select colors, materials, and site furnishings that reinforce the Frontier Town, Western character of Historic Old Town.

HOT 3.1 Materials with natural or integral coloring are preferred

HOT 3.2 Materials may be protected through the use of compatible paints, stains, and clear coatings

HOT 3.3 Utilize opaque or semi-transparent desert tones for the main color of a building, accented by darker or lighter colors – flat finishes are generally preferred

HOT 3.4 Utilize colors, materials, and finishes already in use on the block

HOT 3.5 Materials with smaller-scale units are preferred

HOT 3.6 Finish stucco surfaces with a steel trowel or sponge float method

HOT 3.7 Incorporate Western-style details into building and site design

HOT 3.8 Provide broom finish, wood-plank texture pattern or brick-look pavement treatments

Planning & Development Services Department

	Signs
HOT 4.	Design signage to be compatible with building architecture and overall neighborhood character.
HOT 4.1	Parapet wall signs to be flat to the wall surface, with cut-out, Western-style typeface, and indirectly lit
	Maintain a daylight contrast between sign copy and background of 40 - 70%
	Provide shingle signs under covered walkways – indirectly lit
	Discouraged: illuminated cabinet signs
HOT 4.5	Prohibited: monument signs in Type 1 areas – and strongly discouraged throughout Old Town
	Civic Center District
	District Identity
	romote the character and identity of the Civic Center District through open space, landscape, and
urban o	
	corporate gateway / urban design features at Key Entry Points
	esign to promote a unified district aesthetic
	mit visual conflict between signage, lighting, and landscape placement
CC 1.4 De	esign canopies/shade structures to maintain views
	Building Design
CC 2. A	ctivate the Civic Center primary open space area through building and site design.
CC 2.1 Re	elate design to Bennie Gonzales' architectural style
CC 2.2 In	corporate stepbacks, recesses, and projections into the horizonal wall plane
CC 2.3 Br	eak up building massing at regular intervals and step height away from the primary open space area
CC 2.4 Ty	pe 2 adjacent to primary open space area: follow specific stepback plane found in Guidelines (pg. 76)
CC 2.5 Ty	pe 3 adjacent to primary open space area: follow specific stepback plane found in Guidelines (pg. 76)
CC 2.6 Pr	ovide pedestrian access along the primary open space area at 100- to 300-foot intervals
CC 2.7 Lc	cate outdoor dining areas along the primary open space area – may extend 25 feet from building façade
	esign canopies/shade structures to maintain views and sight lines outward onto the primary open space area
CC 2.9 O	utdoor dining patios – low, transparent fencing, with access provided through the restaurant
CC 2.10 F	incouraged: building design that incorporates terraces along the primary open space area
	trengthen the base of buildings that front the primary open space area
CC 2.12 S	creen and/or locate refuse containers away from the primary open space area
CC 3. R	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois re land uses.
CC 3. R sensitiv	educe the impacts of noise at t <mark>he source,</mark> in s <mark>paces wher</mark> e sound travels, and at locations with nois ve land uses.
CC 3. R sensitiv	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois re land uses. halyze noise compatibility / minimize noise impacts
CC 3. R sensitiv CC 3.1 Ar CC 3.2 Ex	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois re land uses. malyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise
CC 3. R sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois re land uses. halyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design
CC 3. R sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois ve land uses. halyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise
CC 3. R sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois ve land uses. halyze noise compatibility / minimize noise impacts tterior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art
CC 3. Ro sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois ve land uses. halyze noise compatibility / minimize noise impacts tterior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise
CC 3. Ro sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois ve land uses. halyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art terengthen the Civic Center District identity through integrated public art.
CC 3. Ro sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois ve land uses. halyze noise compatibility / minimize noise impacts tterior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art trengthen the Civic Center District identity through integrated public art. corporate permanent public art
CC 3. Ro sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In	educe the impacts of noise at the source, in spaces where sound travels, and at locations with noise re land uses. halyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art trengthen the Civic Center District identity through integrated public art. corporate permanent public art commodate temporary public art Arizona Canal District
CC 3. R sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In CC 4.2 Ac	educe the impacts of noise at the source, in spaces where sound travels, and at locations with noise re land uses. malyze noise compatibility / minimize noise impacts therior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design essign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art trengthen the Civic Center District identity through integrated public art. corporate permanent public art commodate temporary public art Arizona Canal District District Identity
CC 3. R sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In CC 4.2 Ac	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois re land uses. halyze noise compatibility / minimize noise impacts therior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art trengthen the Civic Center District identity through integrated public art. corporate permanent public art commodate temporary public art Arizona Canal District District Identity romote the character and identity of the Arizona Canal District through open space, landscape, and
CC 3. R sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In CC 4.2 Ac	educe the impacts of noise at the source, in spaces where sound travels, and at locations with nois re land uses. halyze noise compatibility / minimize noise impacts therior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art trengthen the Civic Center District identity through integrated public art. corporate permanent public art commodate temporary public art Arizona Canal District District Identity romote the character and identity of the Arizona Canal District through open space, landscape, and
CC 3. Ro sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In CC 4.2 Ac AC 1. P urban C	educe the impacts of noise at the source, in spaces where sound travels, and at locations with noise re land uses. halyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art trengthen the Civic Center District identity through integrated public art. corporate permanent public art ccommodate temporary public art Arizona Canal District District Identity romote the character and identity of the Arizona Canal District through open space, landscape, and design.
CC 3. Ro sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4.1 In CC 4.2 Ac AC 1.1 Ro AC 1.1 Ro AC 1.2 Ut	educe the impacts of noise at the source, in spaces where sound travels, and at locations with noise the land uses. halyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art terengthen the Civic Center District identity through integrated public art. corporate permanent public art commodate temporary public art Arizona Canal District District Identity romote the character and identity of the Arizona Canal District through open space, landscape, and design. elate project design to district themes
CC 3. Ro sensitiv CC 3.1 Ar CC 3.2 Ex CC 3.3 In CC 3.4 De CC 4. St CC 4. St CC 4.1 In CC 4.2 Ac AC 1.1 Re AC 1.1 Re AC 1.2 Ut AC 1.3 In	educe the impacts of noise at the source, in spaces where sound travels, and at locations with noise re land uses. halyze noise compatibility / minimize noise impacts terior site improvements to block, deflect, and attenuate noise corporate sound attenuation in building design esign outdoor dining patios and their audio/sound systems so as not to create undesirable noise Public Art terengthen the Civic Center District identity through integrated public art. corporate permanent public art tecommodate temporary public art District Identity romote the character and identity of the Arizona Canal District through open space, landscape, and leate project design to district themes tilize landscape / open space design to reinforce district themes

Building Design	
AC 2. Activate the Arizona Canal District and corridor throug	h building and site design.
AC 2.1 Incorporate stepbacks, recesses, and projections into the horizontal	building wall plane
AC 2.2 Strengthen the base of buildings that front the canal corridor	
AC 2.3 Break up building massing at regular intervals and step height away f	from the canal
AC 2.4 Provide pedestrian canal corridor access at 100- to 300-foot intervals	5
AC 2.5 Provide a public entrance at the canal level and at Old Town street le	evel
AC 2.6 Visually reduce the distance between opposing canal banks	
AC 2.7 Type 2 adjacent to canal: follow specific stepback plane found in Gui	delines (pg. 85)
AC 2.8 Type 3 adjacent to canal: follow specific stepback plane found in Gui	delines (pg. 85)
AC 2.9 Locate outdoor dining areas along the canal corridor and adjoining p	ublic open spaces
AC 2.10 Outdoor dining patios adjacent to canal corridor to maintain a pede building frontage	estrian clear width and occupy no more than 50% of linear
AC 2.11 Encouraged: building design that incorporates terraces along the ca	inal corridor
AC 3. Reduce the impacts of noise at the source, in spaces we sensitive land uses.	here sound travels, and at locations with noise-
AC 3.1 Analyze noise compatibility / minimize noise impacts	
AC 3.2 Exterior site improvements to block, deflect, and attenuate noise	
AC 3.3 Incorporate sound attenuation in building design	
Public Art	
AC 4.1 Incorporate permanent public art AC 4.2 Accommodate large-scale temporary public art	
	tast
PART III – City Con	
you have any questions regarding this Old Town Scottsdale Urban D lease contact your Project Coordinator.	esign and Architectural Guidelines Checklist,
oordinator Name (print):	Phone Number: 480-312
oordinator Email:	